



ARTO WIJOYO

JUAL BELI HASIL BUMI



**COMPANY
PROFILE
2022**



Our Stories & Values

Located in Banyumas, Central Java, CV ARTO WIJOYO has been established in 1985, from generation to generation. We **WORK DIRECTLY** with the local farmers ever since. **TOGETHER**, we create the goodness out of nature by producing various kinds of Indonesian spices for everyone to enjoy. We also commit to consistently **PRESERVING NATURE** and supporting the **WELFARE** of the farmers.



ARTO WIJOYO

JUAL BELI HASIL BUMI



Our Visions

Our goal is to give the foremost service of providing Indonesian spices for everyone all around the world. We also support the welfare of the local farmers by collaborating and maintaining our long-term, valuable relationship.







SERVING OUR BEST QUALITY

Fresh picked from the trees, we produce the best-dried cloves using natural sunlight. Direct sunlight is the best way used to keep the natural oil inside the cloves. It also helps to enhance the fresh, spicy strong odor, as well as the reddish-brown color of the cloves.



BULK ORDER

With decades of integrity and partners that entrust the best spices to us, Arto Wijoyo also accepts large-scale orders to satisfy the needs of the international market

- PAYMENT TERMS

We Accept Telegraphic Transfer (TT)

- **Smaller Order, three freight-pallets and below**
100% full advance payment, paid 5 days prior to shipment or pickup

- **For order three freight-pallets and above**
50% down payment; the balance paid 5 days prior to shipment or pickup

- MINIMUM PURCHASE ORDER

We do not have MOQ with our brand. Bulk packaging MOQ is 1 metric ton. Please contact us for further information

- EXPORT CONTROL

Products purchased or received under these terms and conditions are subject to export control laws, restrictions, regulations and orders of Indonesia

- SHIPMENT

In the absence of specified shipping instructions, the seller will ship by the most advantageous method. All freight, export documentation insurance, and the handling fees are collected.

- DELIVERY TIME

2-4 weeks after the deposit has been made and depending on your order quantity

- RESPONSIBILITY

The seller is not responsible for any loss, damage, or delay that may occur in the shipment. All claims pertaining to shortage or deviations from ordered items must be made in writing within 30 days of the invoice date to be valid

- GOOD CONDITIONS

Due to the moisture atmosphere in the delivery process, the weight will be slightly different approximately 0.5%. We seek the best packaging possible

- PACKAGING

Based on the customer requests, we also accept OEM/private label packaging; starting from a small sachet of 3 gr to a big shack of 60 kg

INFO PACKAGING

- **Net Content (Kg)** Customizable
- **Polypropylene Packing Size (LxWxH)** Customizable
- **Label Name of Product** Customizable
- **Net Mass/Gross Weight** Customizable
- **Name of Manufacturer** Customizable
- **Address of Manufacturer** Customizable
- **Batch/Lot Identification Number** Customizable
- **Expiry/Best Before Date** Customizable
- **Date of Manufacturer** Customizable

HS CODE

- GROUND CLOVES 09072000
- GROUND CARDAMON 09083230
- WHOLE CARDAMON 09083200
- CLOVE BUD 09071000
- GROUND BLACK PEPPER 09041200
- GROUND WHITE PEPPER 09041200



Indonesia is full of flavour and artistry because of its diverse spice collection. We come with a monthly production capacity of 30 tons.



Ramu



We present Ramu,
processed spices in sachets that is popular among housewives and can be
used by anyone at any time.



Sparrow.Co is dedicated to making a better impression on our loyal customers by offering 5 superior spices in elegant design

[Artowijoyo.co](https://www.artowijoyo.co)

Capturing the Flavor of Indonesian Cuisine



Whole
Cinnamon
Kayu manis

100%
Natural Resources



35gr



1.23 oz

Capturing the Flavor of Indonesian Cuisine



Cloves
Cengkeh

100%
Natural Resources



40gr



1.41 oz

Capturing the Flavor of Indonesian Cuisine



Cardamom
Kapulaga

100%
Natural Resources



45gr



1.58 oz

Capturing the Flavor of Indonesian Cuisine



Ground
Black Pepper
Lada Hitam

100%
Natural Resources



55gr



1.94 oz

Capturing the Flavor of Indonesian Cuisine



Nutmeg
Pala

100%
Natural Resources



45gr



1.58 oz

Capturing the Flavor of Indonesian Cuisine



Ground
White Pepper
Lada Putih

100%
Natural Resources



50gr



1.76 oz

Artowijoyo.co

**LAB
CERTIFICATE**

**GROUND
CLOVES**

Artowijoyo.co

**LAB
CERTIFICATE**

**GROUND
CLOVES**

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205021100



Sample code
No. Kode Contoh

SC.220404889

Customer
Pelanggan

CV. Arto Wijoyo
Jl. Supriyadi 8A Purwokerto Timur
Banyumas Jawa Tengah 53111
Indonesia

Subject
Sample

Cengkeh Bubuk

Sample Description
Keterangan contoh

Sealed Plastic

Priority
Prioritas

Normal

Received Date
Tanggal Terima

May 09, 2022

Finished Date
Tanggal Selesai

May 23, 2022

Remarks
Catatan

LOD Aflatoxin Total = 0.69 ppb;Pb = 0.08 mg/kg; As =
0.10 mg/kg

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara
digital oleh:

Kartika. S
Technical Manager
Date : May 23, 2022

Page 1 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning
the QR-Code using TÜV NORD Indonesia application or general QR Code scanner apps using you're mobile phone
scanner apps and it will be directed to the official related E-COA URL's

7b951305

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205021100

Sample code
No. Kode Contoh

SC.220404889



PARAMETERS	UNITS	RESULTS	METHOD
Odor	-	Normal	SNI 01-2891-1992 Butir 1.2
Taste	--	Normal	SNI 01-2891-1992 Butir 1.2
Moisture	%	10.43	SNI 01-2891-1992 Butir 5.1
Ash	%	5.50	SNI 01-2891-1992 Butir 6.1
Insoluble Ash in Acid	%	0.10	SNI 01 2891:1992 butir 6.3
Mesh Sieving 40	%.	96.81	SNI 01-2891-1992 Butir 14
Aflatoxin Total	ppb	Not Detected	MU-03_31(HPLC-FLD)
Lead (Pb)	mg/kg	Not Detected	MU-03_61 (ICP-OES)
Arsenic (As)	mg/kg	Not Detected	MU-03_61 (ICP-OES)
Cuprum (Cu)	mg/kg	2.41	MU-03_59(ICP-OES)
Total Plate Count	cfu/g	2.3 x 10 ⁵	ISO 4833.1 : 2013 (Pour Plate)
Mold & Yeast	cfu/g	< 10	SNI ISO 21527.2:2012

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara
digital oleh:

Kartika, S
Technical Manager
Date : May 23, 2022

Page 2 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TÜV NORD Indonesia application or general QR Code scanner apps using your mobile phone scanner apps and it will be directed to the official related E-COA URL's

7b951305

PT TÜV NORD Indonesia**Head Office**

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

TEST REPORT

No.: .T.44

Certificate No
No. Sertifikat

CERT.2205021100

Sample code
No. Kode Contoh

SC.220404889



PARAMETERS	UNITS	RESULTS	METHOD
<i>Escherichia coli</i>	MPN/g	< 3	SNI ISO 7251:2012

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara
digital oleh:

Kartika. S
Technical Manager
Date : May 23, 2022

Page 3 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TÜV NORD Indonesia application or general QR Code scanner apps using you're mobile phone scanner apps and it will be directed to the official related E-COA URL's

7b951305

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

Artowijoyo.co

**LAB
CERTIFICATE**

**CLOVES
BUD**

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205019713



Sample code
No. Kode Contoh

SC.220403798

Customer
Pelanggan

CV. Arto Wijoyo
Jl. Supriyadi 8A Purwokerto Timur
Banyumas Jawa Tengah 53111
Indonesia

Subject
Sample

Cengkeh Kering

Sample Description
Keterangan contoh

Sealed plastic

Priority
Prioritas

Normal

Received Date
Tanggal Terima

April 21, 2022

Finished Date
Tanggal Selesai

May 13, 2022

Remarks
Catatan

LOD Pb = 0.08 mg/kg; As = 0.10 mg/kg; Cd = 0.01 mg/kg; Hg = 0.01 mg/kg; Sn = 0.05 mg/kg; Aflatoxin total = 0.69 ppb

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara digital oleh:

Kartika, S
Technical Manager
Date : May 13, 2022

Page 1 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TUV NORD Indonesia application or general QR Code scanner apps using you're mobile phone scanner apps and it will be directed to the official related E-COA URL's

e89baad4

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205019713

Sample code
No. Kode Contoh

SC.220403798



PARAMETERS	UNITS	RESULTS	METHOD
Color	--	Normal	Visual
Odor	-	Normal	SNI 01-2891-1992 Butir 1.2
Foreign Matters	-	Negative	Visual
Moisture	%	10.54	SNI 01-2891-1992 Butir 5.1
Volatiles Oil	%	1.39	Destillation
Aflatoxin Total	ppb	Not Detected	MU-03_31 (HPLC-FLD)
Lead (Pb)	mg/kg	Not Detected	MU-03_61 (ICP-OES)
Mercury (Hg)	mg/kg	Not Detected	MU-03_20 (AAS-VGA) Butir 7.8.4
Cadmium (Cd)	mg/kg	Not Detected	MU-03_20 (AAS-GF) Butir 7.8.3
Arsenic (As)	mg/kg	Not Detected	MU-03_61 (ICP-OES)
Tin (Sn)	mg/kg	Not Detected	MU-03_20 (AAS-GF) Butir 7.8.3
Total Plate Count	cfu/g	1.8 x 10 ³	ISO 4833.1 : 2013 (Pour Plate)

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara
digital oleh:

Kartika. S
Technical Manager
Date : May 13, 2022

Page 2 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TUV NORD Indonesia application or general QR Code scanner apps using you're mobile phone scanner apps and it will be directed to the official related E-COA URL's

e89baad4

PT TÜV NORD Indonesia**Head Office**

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205019713

Sample code
No. Kode Contoh

SC.220403798



PARAMETERS	UNITS	RESULTS	METHOD
<i>Escherichia coli</i>	MPN/g	< 3	SNI ISO 7251:2012
Mold & Yeast	cfu/g	< 10	SNI ISO 21527.2:2012

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara digital oleh:

Kartika, S
Technical Manager
Date : May 13, 2022

Page 3 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TUV NORD Indonesia application or general QR Code scanner apps using you're mobile phone scanner apps and it will be directed to the official related E-COA URL's

e89baad4

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301



Artowijoyo.co

LAB
CERTIFICATE

GROUND
CARDAMON

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205021099



Sample code
No. Kode Contoh

SC.220404888

Customer
Pelanggan

CV. Arto Wijoyo
Jl. Supriyadi 8A Purwokerto Timur
Banyumas Jawa Tengah 53111
Indonesia

Subject
Sample

Kapulaga Bubuk

Sample Description
Keterangan contoh

Sealed Plastic

Priority
Prioritas

Normal

Received Date
Tanggal Terima

May 09, 2022

Finished Date
Tanggal Selesai

May 23, 2022

Remarks
Catatan

LOD Aflatoxin Total = 0.69 ppb; Pb = 0.08 mg/kg; As
= 0.10 mg/kg

Approved by
Disetujui oleh

Digitally signed by:
*Ditandatangani secara
digital oleh:*

Kartika. S
Technical Manager
Date : May 23, 2022

Page 1 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning
the QR-Code using TUV NORD Indonesia application or general QR Code scanner apps using you're mobile phone
scanner apps and it will be directed to the official related E-COA URL's

2c37c493

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205021099



Sample code
No. Kode Contoh

SC.220404888

PARAMETERS	UNITS	RESULTS	METHOD
Odor	-	Normal	SNI 01-2891-1992 Butir 1.2
Taste	--	Normal	SNI 01-2891-1992 Butir 1.2
Moisture	%	8.76	SNI 01-2891-1992 Butir 5.1
Ash	%	9.00	SNI 01-2891-1992 Butir 6.1
Insoluble Ash in Acid	%	0.10	SNI 01 2891:1992 butir 6.3
Mesh Sieving 40	%.	88.05	SNI 01-2891-1992 Butir 14
Aflatoxin Total	ppb	Not Detected	MU-03_31(HPLC-FLD)
Lead (Pb)	mg/kg	Not Detected	MU-03_61 (ICP-OES)
Cuprum (Cu)	mg/kg	4.14	MU-03_59(ICP-OES)
Arsenic (As)	mg/kg	Not Detected	MU-03_61 (ICP-OES)
Total Plate Count	cfu/g	7.9 x 10 ⁶	ISO 4833.1 : 2013 (Pour Plate)
Mold & Yeast	cfu/g	1.2 x 10 ⁴	SNI ISO 21527.2:2012

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara
digital oleh:

Kartika, S
Technical Manager
Date : May 23, 2022

Page 2 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TUV NORD Indonesia application or general QR Code scanner apps using you're mobile phone scanner apps and it will be directed to the official related E-COA URL's

2c37c493

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301

TEST REPORT

No.: T.44

Certificate No
No. Sertifikat

CERT.2205021099

Sample code
No. Kode Contoh

SC.220404888



PARAMETERS	UNITS	RESULTS	METHOD
<i>Escherichia coli</i>	MPN/g	< 3	SNI ISO 7251:2012

Approved by
Disetujui oleh

Digitally signed by:
Ditandatangani secara digital oleh:

Kartika. S
Technical Manager
Date : May 23, 2022

Page 3 from 3

This test results related to the samples submitted only
To whom it may concern; this Electronic Certificate of Analysis (ECO) is easy to validated, you can scanning the QR-Code using TÜV NORD Indonesia application or general QR Code scanner apps using you're mobile phone scanner apps and it will be directed to the official related E-COA URL's

2c37c493

PT TÜV NORD Indonesia

Head Office

Arkadia Green Park, Tower F 7th Floor,
Suite 706 Jl TB Simatupang Kav 88,
Jakarta Selatan
Tel +62 21 78837338
Fax +62 21 78837336
Email indonesia@tuv-nord.com

Laboratory

Jl Science Timur 1 Block B3-F1,
Kawasan Industri Jababeka V Cibatu
Cikarang - Bekasi 17530
Tel +62 21 29574720
Fax +62 21 29574721

Surabaya Branch Office

Intiland Tower 11th Floor, Suite 1 E,
Jalan Panglima Sudirman 101 - 103,
Surabaya 60271
Tel +62 31 5344454
Fax +62 31 5344482

Medan Representative Office

Forum Nine - CIMB Building, 9th Floor
Jl. Imam Bonjol No. 9 Medan 20112
Indonesia
Tel +62 61 80101314
Fax +62 61 80101301



ARTO WIJOYO

JUAL BELI HASIL BUMI

Contact us!

Info@artowijoyo.com

Go to our website!

Artowijoyo.co



ARTO WIJOYO

JUAL BELI HASIL BUMI

Artowijoyo.co